



Version 2.0	Revision Date: 06/26/2019		DS Number: 00000001178	Date of last issue: - Date of first issue: 08/23/2017			
SECTION	1. IDENTIFICATION						
Prod	Product name		CYCLO QUICK DRY ELECTRONIC CLNR 110Z UN				
Prod	uct code	:	C87EACH				
	Manufacturer or supplier's of Company name of supplier			LC			
Addr	Address		Dallas TX 75225				
Emai	Email Address		EHS@niteoproducts.com				
Telep	Telephone		1-844-696-4836				
Eme ber	rgency telephone num-	:	1-800-424-9300 /	/ 1-703-741-5970			
Reco	Recommended use of the chemical and restrictions on use						
Reco	ommended use	:	CLEANER				
Rest	rictions on use	:	Use only outdoor	s or in a well-ventilated area.			

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accor Flammable aerosols	dar :	ce with 29 CFR 1910.1200 Category 1
Eye irritation	:	Category 2A
Aspiration hazard	•	Category 1
GHS label elements Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	Extremely flammable aerosol. May be fatal if swallowed and enters airways. Causes serious eye irritation.
Precautionary statements	:	Prevention: Keep away from heat/sparks/open flames/hot surfaces. No smoking.



rsion	Revision Date: 06/26/2019	SDS Number: 600000001178	Date of last issue: - Date of first issue: 08/23/2017
		Pressurized co Wash skin thor	n an open flame or other ignition source. Intainer: Do not pierce or burn, even after use. Foughly after handling. Pection/ face protection.
		IF IN EYES: R Remove conta rinsing. Do NOT induce	ED: Immediately call a POISON CENTER/doctor inse cautiously with water for several minutes. ct lenses, if present and easy to do. Continue e vomiting. persists: Get medical advice/ attention.
		Storage:	
		Store locked u	p. unlight. Do not expose to temperatures exceedin
		Disposal:	
		•	tents/ container to an approved waste disposal
Other	[•] hazards		
None	known.		

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
Naphtha (petroleum)	64742-49-0	>= 70 - < 90
1,1-Difluoroethane	75-37-6	>= 20 - < 30
Isopropanol	67-63-0	>= 1 - < 5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

SECTION 4. FIRST AID MEASURES

General advice	:	Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Symptoms of poisoning may appear several hours later. Do not leave the victim unattended.
If inhaled	:	If breathed in, move person into fresh air. If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	:	If on skin, rinse well with water.
In case of eye contact	:	Immediately flush eye(s) with plenty of water. Remove contact lenses. Protect unharmed eye.



Version 2.0	Revision Date: 06/26/2019	SDS Number: 600000001178	Date of last issue: - Date of first issue: 08/23/2017
			e open while rinsing. n persists, consult a specialist.
lf sw	allowed	Never give ar	
	t important symptoms effects, both acute and yed		f swallowed and enters airways. us eye irritation.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Water spray Carbon dioxide (CO2) Dry chemical Alcohol-resistant foam
Unsuitable extinguishing media	:	High volume water jet
Hazardous combustion prod- ucts	:	Carbon oxides Halogenated compounds
Specific extinguishing meth- ods	:	Product is compatible with standard fire-fighting agents.
Further information	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use a water spray to cool fully closed containers.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emer- gency procedures	Use personal protective equipment. Remove all sources of ignition. Ensure adequate ventilation. Avoid breathing dust. Beware of vapours accumulating to form explosive concentra- tions. Vapours can accumulate in low areas. Evacuate personnel to safe areas. Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
Environmental precautions :	Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.



Version 2.0	Revision Date: 06/26/2019		OS Number: 00000001178	Date of last issue: - Date of first issue: 08/23/2017
SECTION	7. HANDLING AND ST	OR	AGE	
	e on protection against nd explosion	:	(which might cau Keep away from ignition. Use only explosio	action to avoid static electricity discharge se ignition of organic vapours). open flames, hot surfaces and sources of on-proof equipment. a naked flame or any incandescent material.
Advic	e on safe handling	:	Provide sufficient Do not breathe v Do not smoke. Take precautiona Avoid contact wit Dispose of rinse regulations. Container hazard Smoking, eating plication area.	ary measures against static discharges.
Cond	litions for safe storage	:	exposure and ter or throw into fire red-hot objects.	ol is pressurized. Keep away from direct sun nperatures over 50 °C. Do not open by force even after use. Do not spray on flames or ghtly closed in a dry and well-ventilated ecautions.
	er information on stor- stability	:	No decompositio	n if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workpi	ace control parame	ters		
Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Naphtha (petroleum)	64742-49-0	TWA	500 ppm 2,000 mg/m3	OSHA Z-1
		TWA	400 ppm 1,600 mg/m3	OSHA P0
1,1-Difluoroethane	75-37-6	TWA	1,000 ppm	US WEEL
Isopropanol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
		TWA	400 ppm 980 mg/m3	NIOSH REL
		ST	500 ppm 1,225 mg/m3	NIOSH REL
		TWA	400 ppm 980 mg/m3	OSHA Z-1
		TWA	400 ppm	OSHA P0

Components with workplace control parameters



	® QUICK DR							
rsion Revision Date: 06/26/2019			S Number: 0000001178		Date of last issue: - Date of first issue: 08/23/2017			
				STEL	980 mg/i 500 ppm 1,225 mg		OSHA P0	
Biolo	gical occupationa	l exposu	re limits	·				
Comp	onents	CAS-No	o. Control paramete	Biological ers specimen	Sam- pling time	Permissible concentra- tion		
Isopro	ppanol	67-63-0	Acetone	Urine	End of shift at end of work- week	40 mg/l	ACGIH BEI	
				maintain expos	ure below e	exposure auto	Jennes (II	
	nal protective equ	uipment		maintain expos r below levels th erse effects.				
Hand		-	applicable) or apparent adv Wear resistar er). The suita	r below levels th	hat cause kr ult your safe ific workpla	ty equipmen	t suppli-	
Hand Re	protection	:	applicable) or apparent adv Wear resistar er). The suita cussed with t Wear chemic	r below levels th erse effects. nt gloves (const ibility for a spec	at cause kr ult your safe ific workplac the protect es when the	ty equipmen ce should be ive gloves.	t suppli- dis-	
Hand Re Eye p	protection	:	applicable) or apparent adv Wear resistan er). The suita cussed with t Wear chemic exposure of t Choose body	r below levels the rerse effects. Int gloves (constru- bility for a spec- he producers of the producers of the dangerous ropriate: lothing ant clothing	at cause kr llt your safe fic workpla the protect es when the d, vapor or p ording to the	ty equipmen ce should be ive gloves. ere is the pote mist.	t suppli- dis- ential for	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	aerosol
Colour	:	not determined
Odour	:	hydrocarbon-like
Odour Threshold	:	not determined
рН	:	not determined
Melting point/freezing point	:	not determined



Vers 2.0	sion	Revision Date: 06/26/2019		S Number: 0000001178	Date of last issue: - Date of first issue: 08/23/2017
	Boiling	point/boiling range	:	not determined	
	Flash p	oint	:	-50 °C Method: closed c Value for Compo	
	Evapor	ation rate	:	not determined	
	Flamma	ability (solid, gas)	:	No data available)
	Self-ig	nition	:	not determined	
		explosion limit / Upper bility limit	:	not determined	
		explosion limit / Lower bility limit	:	not determined	
	Vapour	pressure	:	No data available)
	Relative	e vapour density	:	not determined	
	Density	,	:	not determined	
	Solubili Wat	ty(ies) er solubility	:	not determined	
	Partitio octanol	n coefficient: n- /water	:	not determined	
	Decom	position temperature	:	not determined	
	Viscosi Visc	ty :osity, dynamic	:	not determined	
	Visc	osity, kinematic	:	No data available)
	Molecu	lar weight	:	Not applicable	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reac- tions	:	No decomposition if stored and applied as directed. Vapours may form explosive mixture with air.
Conditions to avoid	:	Heat, flames and sparks.
Incompatible materials	:	Strong oxidizing agents
Hazardous decomposition products	:	Carbon oxides Halogenated compounds



		Date of last issue: -
2.0 06/26/2019	60000001178	Date of first issue: 08/23/2017

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure Inhalation Eye contact Skin contact Ingestion

Acute toxicity

Not classified based on available information.

Components:

1,1-Difluoroethane:

Acute inhalation toxicity	:	LC50 (Rat): 437500 ppm Exposure time: 4 h Test atmosphere: gas
Isopropanol: Acute oral toxicity	:	LD50 (Rat): 5.84 g/kg
Acute inhalation toxicity	:	LC50 (Rat): 16000 ppm Exposure time: 4 h Test atmosphere: vapour
Acute dermal toxicity	:	LD50 (Rabbit): 12,800 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Product:

Remarks: May cause skin irritation in susceptible persons.

Components:

Naphtha (petroleum):

Result: Possibly irritating to skin

Isopropanol:

Result: Possibly irritating to skin

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Remarks: Vapours may cause irritation to the eyes, respiratory system and the skin.

Components:

Naphtha (petroleum):

Result: Irritating to eyes.



rsion	Revision Date: 06/26/2019	SDS Number: 600000001178	Date of last issue: - Date of first issue: 08/23/2017
-	opanol: It: Irritating to eyes.		
Resp	iratory or skin sens	itisation	
	sensitisation lassified based on av	ailable information.	
-	iratory sensitisation lassified based on av		
	a cell mutagenicity lassified based on av	ailable information.	
<u>Com</u>	ponents:		
1,1-D	ifluoroethane:		
Geno	toxicity in vitro	: Test Type: Am Test system: S Metabolic activ Result: negativ	almonella typhimurium ation: with and without metabolic activation
Carci	nogenicity		
	lassified based on av	ailable information.	
IARC			dentified as probable, possible or confirmed
IARC OSH	;	equal to 0.1% is in human carcinogen No component of	dentified as probable, possible or confirmed n by IARC.
_	;	equal to 0.1% is id human carcinoger No component of equal to 0.1% is o No component of	n by IARC. this product present at levels greater than or
OSH NTP Repre	A oductive toxicity	equal to 0.1% is id human carcinoger No component of equal to 0.1% is o No component of equal to 0.1% is id by NTP.	dentified as probable, possible or confirmed n by IARC. this product present at levels greater than or on OSHA's list of regulated carcinogens. this product present at levels greater than or
OSH NTP Repro	A oductive toxicity lassified based on av	equal to 0.1% is id human carcinoger No component of equal to 0.1% is o No component of equal to 0.1% is id by NTP.	dentified as probable, possible or confirmed n by IARC. this product present at levels greater than or on OSHA's list of regulated carcinogens. this product present at levels greater than or
OSH NTP Repro Not c STOT	A oductive toxicity	equal to 0.1% is id human carcinoger No component of equal to 0.1% is o No component of equal to 0.1% is id by NTP.	dentified as probable, possible or confirmed n by IARC. this product present at levels greater than or on OSHA's list of regulated carcinogens. this product present at levels greater than or

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

May be fatal if swallowed and enters airways.





VersionRevision Date:SDS Number:Date of last issue: -2.006/26/201960000001178Date of first issue: 08/23/2017					
--	--	--	--	--	--

Components:

Naphtha (petroleum):

May be fatal if swallowed and enters airways.

Further information

Product:

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION

Toxicity

Additional ecological	:	No data available
information		

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	:	Dispose of in accordance with all applicable local, state and federal regulations.
Contaminated packaging	:	Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

Dangerous goods descriptions (if indicated below) may not reflect quantity, end-use, or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

International Regulations

IATA-DGR UN/ID No. Proper shipping name Class Packing group Labels Packing instruction (cargo aircraft) Packing instruction (passenger aircraft)		UN 1950 Aerosols, flammable 2.1 Not assigned by regulation 2.1 203 203
IMDG-Code UN number Proper shipping name Class Packing group Labels	:	UN 1950 AEROSOLS 2.1 Not assigned by regulation 2.1



Version 2.0	Revision Date: 06/26/2019	SDS Number: 600000001178	Date of last issue: - Date of first issue: 08/23/2017
	Code ne pollutant	: F-D, S-U : no	
	sport in bulk accordin applicable for product as	-	RPOL 73/78 and the IBC Code
Nati	onal Regulations		
	FR D/NA number er shipping name	: UN 1950 : Aerosols	
Labe ERG	king group	: 2.1 : Not assigned by : 2.1 : 126 : no	y regulation

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	Flammable (gases, aerosols, liquids, or solids) Aspiration hazard Serious eye damage or eye irritation
SARA 313	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.






Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	06/26/2019	60000001178	Date of first issue: 08/23/2017

SECTION 16. OTHER INFORMATION

Further information



Revision Date : 06/26/2019

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN