GIGABYTE[™]



USER GUIDE





Copyright

© 2020 GIGA-BYTE TECHNOLOGY CO., LTD. All rights reserved.

The trademarks mentioned in this manual are legally registered to their respective owners.

Disclaimer

Information in this manual is protected by copyright laws and is the property of GIGABYTE.

Changes to the specifications and features in this manual may be made by GIGABYTE without prior notice.

No part of this manual may be reproduced, copied, translated, transmitted, or published in any form or by any means without GIGABYTE's prior written permission.

- In order to assist in the use of this monitor, carefully read the User Guide.
- For more information, check on our website at: https://www.gigabyte.com

SAFETY INFORMATION

Regulatory Notices

United States of America, Federal Communications Commission Statement

Supplier's Declaration of Conformity 47 CFR § 2.1077 Compliance Information

Product Name: LCD monitor Trade Name: GIGABYTE Model Number: G34WQC A

Responsible Party – U.S. Contact Information: G.B.T. Inc. Address: 17358 Railroad street, City Of Industry, CA91748 Tel.: 1-626-854-9338 Internet contact information: https://www.gigabyte.com

FCC Compliance Statement:

This device complies with Part 15 of the FCC Rules, Subpart B, Unintentional Radiators.

Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with manufacturer's instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment o and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.

- Connect the equipment to an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Canadian Department of Communications Statement

This digital apparatus does not exceed the Class B limits for radio noise emissions from digital apparatus set out in the Radio Interference Regulations of the Canadian Department of Communications. This class B digital apparatus complies with Canadian ICES-003.

Avis de conformité à la réglementation d'Industrie Canada

Cet appareil numérique de la classe B est conforme à la norme NMB-003 du Canada.

European Union (EU) CE Declaration of Conformity

This device complies with the following directives: Electromagnetic Compatibility Directive 2014/30/EU, Low-voltage Directive 2014/35/EU, ErP Directive 2009/125/EC, RoHS directive (recast) 2011/65/EU & the 2015/863 Statement. This product has been tested and found to comply with all essential requirements of the Directives.

European Union (EU) RoHS (recast) Directive 2011/65/EU & the European Commission Delegated Directive (EU) 2015/863 Statement

GIGABYTE products have not intended to add and safe from hazard-ous substances (Cd, Pb, Hg, Cr^{+6} , PBDE, PBB, DEHP, BBP, DBP and DIBP). The parts and components have been carefully selected to meet RoHS requirement. Moreover, we at GIGABYTE are continuing our efforts to develop products that do not use internationally banned toxic chemicals.

European Union (EU) Community Waste Electrical & Electronic Equipment (WEEE) Directive Statement

GIGABYTE will fulfill the national laws as interpreted from the 2012/19/ EU WEEE (Waste Electrical and Electronic Equipment) (recast) directive. The WEEE Directive specifies the treatment, collection, recycling and disposal of electric and electronic devices and their components. Under the Directive, used equipment must be marked, collected separately, and disposed of properly.

WEEE Symbol Statement



The symbol shown below is on the product or on its packaging, which indicates that this product must not be disposed of with other waste. Instead, the device should be taken to the waste collection centers for activation of the treatment, collection, recycling and disposal procedure.

For more information about where you can drop off your waste equipment for recycling, please contact your local government office, your household waste disposal service or where you purchased the product for details of environmentally safe recycling.

End of Life Directives-Recycling



The symbol shown below is on the product or on its packaging, which indicates that this product must not be disposed of with other waste. Instead, the device should be taken to the waste collection centers for activation of the treatment, collection, recycling and disposal procedure.

Déclaration de Conformité aux Directives de l'Union européenne (UE)

Cet appareil portant la marque CE est conforme aux directives de l'UE suivantes: directive Compatibilité Electromagnétique 2014/30/UE, directive Basse Tension 2014/35/UE, directive 2009/125/CE en matière d'écoconception, la directive RoHS II 2011/65/UE & la déclaration 2015/863. La conformité à ces directives est évaluée sur la base des normes européennes harmonisées applicables.

European Union (EU) CE-Konformitätserklärung

Dieses Produkte mit CE-Kennzeichnung erfüllen folgenden EU-Richtlinien: EMV-Richtlinie 2014/30/EU, Niederspannungsrichtlinie 2014/30/EU, Ökodesign-Richtlinie 2009/125/EC, RoHS-Richtlinie 2011/65/EU erfüllt und die 2015/863 Erklärung. Die Konformität mit diesen Richtlinien wird unter Verwendung der entsprechenden Standards zurEuropäischen Normierung beurteilt.

CE declaração de conformidade

Este producto que llevan la marca CE cumplen con las siguientes Directivas de la Unión Europea: Directiva EMC 2014/30/EU, Directiva de bajo voltaje 2014/35/EU, Directiva de Ecodiseño 2009/125/EC, Directiva RoHS 2011/65/EU y la Declaración 2015/863. El cumplimiento de estas directivas se evalúa mediante las normas europeas armonizadas.

CE Declaración de conformidad

Este producto que llevan la marca CE cumplen con las siguientes Directivas de la Unión Europea: Directiva EMC 2014/30/EU, Directiva de bajo voltaje 2014/35/EU, Directiva de Ecodiseño 2009/125/EC, Directiva RoHS 2011/65/EU y la Declaración 2015/863. El cumplimiento de estas directivas se evalúa mediante las normas europeas armonizadas.

Dichiarazione di conformità

I prodotti con il marchio CE sono conformi con una o più delle seguenti Direttive UE, come applicabile: Direttiva EMC 2014/30/UE, Direttiva sulla bassa tensione 2014/35/UE, Direttiva Ecodesign EMC 2009/125/EC, Direttiva RoHS 2011/65/EU e Dichiarazione 2015/863. La conformità con tali direttive viene valutata utilizzando gli Standard europei armonizzati applicabili.

Deklaracja zgodności UE Unii Europejskiej

Urządzenie jest zgodne z następującymi dyrektywami: Dyrektywa kompatybilności elektromagnetycznej 2014/30/UE, Dyrektywa niskonapięciowej 2014/35/UE, Dyrektywa ErP 2009/125/WE, Dyrektywa RoHS 2011/65/UE i dyrektywa2015/863. Niniejsze urządzenie zostało poddane testom i stwierdzono jego zgodność z wymaganiami dyrektywy.

ES Prohlášení o shodě

Toto zařízení splňuje požadavky Směrnice o Elektromagnetické kompatibilitě 2014/30/EU, Směrnice o Nízkém napětí 2014/35/EU, Směrnice ErP 2009/125/ES, Směrnice RoHS 2011/65/EU a 2015/863. Tento produkt byl testován a bylo shledáno, že splňuje všechny základní požadavky směrnic.

EK megfelelőségi nyilatkozata

A termék megfelelnek az alábbi irányelvek és szabványok követelményeinek, azok a kiállításidőpontjában érvényes, aktuális változatában: EMC irányelv 2014/30/EU, Kisfeszültségű villamos berendezésekre vonatkozó irányelv2014/35/EU, Környezetbarát tervezésről szóló irányelv 2009/125/EK, RoHS irányelv 2011/65/EU és 2015/863.

Δήλωση συμμόρφωσης ΕΕ

Είναι σε συμμόρφωση με τις διατάξεις των παρακάτω Οδηγιών της Ευρωπαϊκής Κοινότητας: Οδηγία 2014/30/ΕΕ σχετικά με την ηλεκτρομαγνητική συμβατότητα, Οοδηγία χαμηλή τάση 2014/35/ΕU, Οδηγία 2009/125/ΕΚ σχετικά με τον οικολογικό σχεδιασμό, Οδηγία RoHS 2011/65/ΕΕ και 2015/863. Η συμμόρφωση με αυτές τις οδηγίες αξιολογείται χρησιμοποιώντας τα ισχύοντα εναρμονισμένα ευρωπαϊκά πρότυπα.

Japan Class 01 Equipment Statement

安全にご使用いただくために 接地接続は必ず電源プラグを電源につなぐ前に行って下さい。 また、接地接続を外す場合は、必ず電源プラグを電源から切り離してか ら行って下さい。

Japan VCCI Class B Statement

クラス B VCCI 基準について

この装置は、クラスB情報技術装置です。この装置は、家庭環境で使用 することを目的としていますが、この装置がラジオやテレビジョン受信 機に近接して使用されると、受信障害を引き起こすことがあります。 取扱説明書に従って正しい取り扱いをして下さい。

VCCI-B

China RoHS Compliance Statement

中国《废弃电器电子产品回收处理管理条例》提示性说明 为了更好地关爱及保护地球,当用户不再需要此产品或产品寿命终 止时,请遵守国家废弃电器电子产品回收处理相关法律法规,将其 交给当地具有国家认可的回收处理资质的厂商进行回收处理。

环保使用期限

Environment-friendly Use Period



此标识指期限(十年),电子电气产品中含有的有害物质 不会发生外泄或突变、电子电气产品用户正常使用该电子 电气产品不会对环境造成严重 污染或对其人身、财产造 成严重损害的期限。

	有害物质						
部件名称	铅 (Pb)	汞 (Hg)	镉 (Cd)	六价铬 (Cr ⁺⁶)	多溴联苯 (PBB)	多溴二苯醚 (PBDE)	
印刷电路板及其电 子组件	х	0	0	0	0	0	
液晶面板	Х	0	0	0	0	0	
外壳	0	0	0	0	0	0	
外部信号连接头及 线材	Х	0	0	0	0	0	

产品中有害物质的名称及含量:

本表格依据 SJ/T 11364 的规定编制。

- ○:表示该有害物质在该部件所有均质材料中的含量均在 GB/T 26572 规 定的限量要求以下。
- X:表示该有害物质至少在该部件的某一均质材料中的含量超出 GB/T 26572 规定的限量要求。



HDMI HDMI 高清晰度多媒体接口以及 HDMI 标志是 HDMI Licensing Administrator, Inc. 在美国和其他国家的商标或注册商标。

限用物質含有情況標示聲明書

Declaration of the Presence Condition of the Restricted Substances Marking

設備名稱 :液晶顯示器 , 型號 (型式) : G34WQC A						
Ec	Equipment name Type designation (Type)					
		Res	限 stricted sub	用物質及其 stances and	t化學符號	bols
單元 Unit	鉛 Lead (Pb)	汞 Mer- cury (Hg)	鎘 Cadmium (Cd)	六價鉻 Hexava- lent chromium (Cr ⁺⁶)	多溴聯苯 Poly- brominated biphenyls (PBB)	多溴二苯醚 Polybrominat- ed diphenylethers (PBDE)
塑料外框	0	0	0	0	0	0
後殼	0	0	0	0	0	0
液晶面板	—	0	0	0	0	0
電路板組件	_	0	0	0	0	0
底座	0	0	0	0	0	0
電源線	_	0	0	0	0	0
其他線材	_	0	0	0	0	0
備考 1. "超出 0.1 wt %"及 "超出 0.01 wt %"係指限用物質之百分比含量超出百分 比含量基準值。						
Note 1: "Exceeding 0.1 wt %" and "exceeding 0.01 wt %" indicate that the per- centage content of the restricted substance exceeds the reference percentage value of presence condition. 備考 2. "〇" 係指該項限用物質之百分比含量未超出百分比含量基準值。						
Note 2: "〇" not exe	indica ceed th	tes that t ie percen	he percenta tage of refe	age content erence value	of the restricted of presence .	substance does

備考 3. "一"係指該項限用物質為排除項目。

Note 3: "-" indicates that the restricted substance corresponds to the exemption

Safety Precautions

Read through the following Safety Precautions before using the monitor.

- Only use the accessories that are provided with the monitor or that which are recommended by the manufacturer.
- Keep the plastic packaging bag for the product in a place that cannot be reached by children.
- Before connecting the monitor to the power outlet, make sure that the voltage rating of the power cable is compatible with the power specification in the country where you are located.
- The power cord plug must be connected to a properly wired and grounded power outlet.
- Do not touch the plug with wet hands, otherwise easily cause electric shock.
- Place the monitor in a stable and well-ventilated place.
- Do not place the monitor near any heat sources such as electric radiators or direct sunlight.
- The holes or openings on the monitor are for ventilation. Do not cover or block the ventilation holes with any objects.
- Do not use the monitor near water, drinks, or all types of liquids. Failure to do so may result in electric shock or damage to the monitor.
- Make sure to unplug the monitor from the power outlet before cleaning.
- As the screen surface is easy to be scratched, avoid touching the surface with any hard or sharp object.
- Use a soft lint-free cloth instead of a tissue to wipe the screen. You may use a glass cleaner to clean the monitor if required. However, never spray the cleaner directly onto the screen.
- Disconnect the power cable if the monitor is not being used for a long period of time.
- Do not attempt to disassemble or repair the monitor yourself.

CONTENTS

Safety Information Regulatory Notices Safety Precautions	3
	11
Onpacking Package Contents Product Overview	11 13 14
GETTING STARTED	
Adjucting the Viewing Angle	10 17
Installing a Wall-Mount Bracket (Ontional)	
Making Connections	
USING THE DEVICE	20
Turning the Power On/Off	20
User Comfort Recommendations	21
Selecting the Input Source	22
OPERATIONS	23
Quick Menu	23
Configure the Device Settings	27
APPENDICES	
Specifications	
Supported Timing List	
Troubleshooting	
Basic Care	40
GIGABYTE Service Information	40

INTRODUCTION

Unpacking

- 1. Open the upper cover of the packaging box. Then observe the unpacking label attached on the inner cover.
- 2. Making sure the box is in the correct orientation, carefully lay the box on the stable surface.



3. Open the inner cover.



4. Grab the EPS foam assembly (through the openings) to pull it out of the box.



5. Remove the items from the upper EPS foam.



6. Remove the upper EPS foam. Then you can remove the monitor from the lower EPS foam.



Package Contents

The following items come with your packaging box. If any of them is missing, please contact your local dealer.



Warranty Card

Quick Start Guide

Note: Please keep the packaging box and packing materials for future transportation of the monitor.

Product Overview





- 1. HDMI ports (x2)
- 3. Headphone jack
- 5. Control button

- 2. DisplayPort port (x2)
- 4. AC IN jack
- 6. Kensington lock

GETTING STARTED

Installing the Monitor Base

- 1. Place the monitor on the lower EPS foam, with the screen facing down.
- 2. Align the monitor base with the two guide pins underneath the stand. Then install the base onto the stand.



3. Lift the monitor to an upright position and place it on a table. The monitor's height may be adjusted after item 1 and item 2 shown in the figure are removed.



Adjusting the Viewing Angle

Note: Hold the monitor base so that the screen does not topple when you make the adjustment.

Adjusting the Tilt Angle

Tilt the screen forward or backward to the desired viewing angle (-5° to 20°).



Adjusting the Screen Orientation

Raise the screen to the maximum height (100 mm).



Installing a Wall-Mount Bracket (Optional)

Use only the 100 x 100 mm wall mount kit recommended by the manufacturer.

- 1. Place the monitor on the lower EPS foam, with the screen facing down.
- 2. Push the locking clips inward to detach the stand from the monitor.



3. Attach the mounting bracket to the mounting holes at the rear of the monitor. Then use the screws to secure the bracket in place.



Note: To mount the monitor on the wall, refer to the installation guide that is included in the wall-mount bracket kit.

The monitor head may be installed on wall, rotary brackets or other brackets. This monitor supports 100 mm mounting holes that comply with VESA industrial standard. To install any third-party solution to the monitor, four φ 4 mm screws with pitch of 0.7 mm and length of 10 mm are required. If any longer screw is used, the monitor may be damaged. Check if the bracket provided by the manufacturer complies with VESA standard and is able to support the monitor body. Please use the power cable and video cable attached to the monitor, in order to ensure the optimal performance.

Making Connections



USING THE DEVICE

Turning the Power On/Off

Power On

- 1. Connect one end of the the power cable to a power outlet of the monitor.
- 2. Press the **Control** button to turn on the monitor. The Power LED will light in white, indicating the monitor is ready to use.



Note: If the power LED fails to turn on even after the monitor is switched on, check the LED settings in the Settings menu. Refer to Page 34.

Power Off

Press the **Control** button for 2 seconds to turn off the monitor.

Note: When the Main menu appears on the screen, you can also turn off the monitor by moving the **Control** button down (④). Refer to page 25.

User Comfort Recommendations

The following are some tips for comfortable viewing of your monitor:

- Optimal viewing distances for monitors range from approximately 510 mm to 760 mm (20" to 30").
- A general guideline is to position the monitor such that the top of the screen is at or slightly below your eye-height when you are comfortably seated.
- Use adequate lighting for the type of work you are performing.
- Take regular and frequent breaks (at least for 10 minutes) every half hour.
- Be sure to periodically look away from your monitor screen and focus on a far object for at least 20 seconds during the breaks.
- Eye exercise can help reduce eye strain. Repeat these exercises frequently: (1) look up and down (2) slowly roll your eye (3) move your eyes diagonally.

Selecting the Input Source

- Move the Control button right () to enter the the Input menu.
- Move the Control button up/ down (<) to select the desired input source. Then press the Control button to confirm.

	Inp	out	
	HDI	MI 1	
	HD	MI2	
	Display	yPort 1	
	Display	yPort 2	
Ô	Select	(@) E	xit
Ť		Ť	

OPERATIONS

Quick Menu

Hot Key

By default, the **Control** button has been assigned with the specific function.

Note: To change the preset hot key function, refer to the "Quick Switch" section on page 34.

To access the hot key function, do the following:

 Move the Control button up (()) to enter the Black Equalizer menu.

> Move the **Control** button up/down (()) to adjust the setting and press the **Control** button to confirm.



Move the Control button down (⁽)) to enter the Picture Mode menu.

Move the **Control** button up/down (()) to select the desired option and press the **Control** button to confirm.



• Move the **Control** button left (()) to enter the Volume menu.

Move the **Control** button up/down (()) to adjust the headphone volume level and press the **Control** button to confirm.



 Move the Control button right (<>>>) to enter the the Input menu. Refer to the "Selecting the Input Source" section.

Note: To close the menu, move the **Control** button left (④).

Function Key Guide

Press the **Control** button to display the Main menu.



Then use the **Control** button to select the desired function and configure the related settings.

<u>GameAssist</u>

When the Main menu appears on the screen, move the **Control** button right (()) to enter the GameAssist menu.

GameAssist						
GAME INFO	Gaming Timer					
	Refresh Rate					
	Info Location					
💿 Select 💮 Exit						

- **Game Info:** Configure the FPS (First Person Shooting) game related settings.
 - $\sqrt{\rm Select}$ Gaming Timer to select countdown timer mode. To disable this function, set the setting to OFF.
 - $\sqrt{\text{Select Refresh Rate to enable/disable real-time refresh rate setting.}}$
 - $\sqrt{\rm Select}$ Info Location to specify the location of the information to be shown on the screen.



• **Crosshair:** Select the desired crosshair type to suit your gaming environment. It makes aiming much easier.

Configure the Device Settings

When the Main menu appears on the screen, move the **Control** button up (0) to enter the Settings menu.

Note: Use the **Control** button to navigate through the menu and make adjustments.



Gaming

Configure the game related settings.

Resolution 3440X1440	Black Equalizer 10	Aim Stabilizer	Overdriv	ve Refresh 60H	Rate Free	Sync ON
					Picture Mode	Standard
Gaming	· · · · · · · · · · · · · · · · · · ·		ON			
Picture		lack Equalizer	OFF			
Display	2	uper Resolution				
PIP/PBP	(Display Mode				
System		Overdrive				
Languag	je F	reeSync Premium				
Save Set	tings					
Reset all					📀 Exit	
					🝙 Move/A	djust
GIGABYTE "					Enter/Co	onfirm

ltem	Description
Aim Stabilizer	When this function is enabled, it reduces the motion blur in a fast moving games.
	Note: This function is not available under the fol- lowing conditions:
	- When the frequency setting is lower than 100Hz.
	- When the FreeSync Premium function is activated.

ltem	Description
Black Equalizer	Adjust the brightness of the black areas.
Super Resolution	Sharpen the low resolution images.
Display Mode	Select the aspect ratio of the screen.
	 Full: Scale the input image to fill the screen. Ideal for 21:9 aspect images.
	 Aspect: Display the input image without geo- metric distortion filling as much of the screen as possible.
Overdrive	Improve the response time of the LCD monitor.
FreeSync Premium	When this function is enabled, it eliminates the screen lag and tearing while playing games. Note: This function is not available under the following
	conditions: Set the DisplayPort version to 1.1

Picture

Configure the image related settings.

Resolution 3440X1440	Brightness 85	Contrast 50	Sharpness 5	Gamma Gamma 3	Color Te	emp. Normal
					Picture Mode	Standard
Gaming	S	tandard	Brightness			
Picture			Contrast Ratio	D		1
Display			Color Vibranc	e		
PIP/PBP			Sharpness			
System			Gamma			
Languag			Color Temper	ature		
Save Sett			Low Blue Ligh	ıt	🏟 Exit	
Reset all				_	🏟 Move/Ad	ljust
GIGABYTE					📀 Enter/Co	nfirm

Select the one of the preset picture mode.

- Standard: For editing documents or browsing websites.
- FPS: For playing FPS (First Person Shooting) games.
- RTS/RPG: For playing RTS (Real-Time Strategy) or RPG (Role-Playing Game) games.
- Movie: For watching movies.
- Reader: For viewing documents.
- sRGB: For viewing photos and graphics on the computer.
- Custom 1: Customized picture mode settings.
- Custom 2: Customized picture mode settings.
- Custom 3: Customized picture mode settings.

Then you can configure the following image settings.

ltem	Description
Brightness	Adjust the brightness of the image.
Contrast	Adjust the contrast of the image.
Color Vibrance	Adjust the intensity of the more muted colors.
Sharpness	Adjust the sharpness of the image.

ltem	Description				
Gamma	Adjust the middle level of luminance.				
Color Temperature	Select the color temperature.				
	Note: Select User Define to customize the color temperature by adjusting the red (R), green (G), or blue (B) level according to your preference.				
Low Blue Light	Reduce the amount of blue light exposure from the screen.				
	 Level 0: No change. Level 1~10: The higher the level, the more blue light will be reduced. 				
	Note: This is the Low Blue Light Level 10 under the normal image mode with normal col- or temperature. It is compliance with TUV Low Blue Light Certification				
Dynamic Contrast	Adjust the black level of the image to achieve the optimum contrast.				
Senseye Demo	Split the screen in half (2 windows).				
	The image of the selected mode with its default settings will appear on the right window and the adjusted image with the new settings will appear on the left window				
Reset Picture	Reset all Picture settings to the default settings.				

Display

Configure the display related settings.

Resolution 3440X1440	Brightness 85	Contrast 50	Sharpness 5	Gamma Gamma 3	Color Temp. Normal
				Pict	ure Mode Standard
Gaming			HDMI 1	1	
Picture		B Range	HDMI 2		
Display			DisplayPort	1	
PIP/PBP			DisplayPort	2	
System					
Language					
Save Sett					Exit
Reset all					Move/Adjust
GIGABYTE				(Enter/Confirm

ltem	Description
Input	Select the input source.
RGB Range	Select an appropriate RGB range setting or let the monitor to detect it automatically.
	Note: This option is only available for HDMI input.
Overscan	When this function is enabled, it slightly enlarges the input image to hide the outermost edges of the image.
	Note: This option is only available for HDMI input.

PIP/PBP

Configure multi-image related settings.

HDR OFF	Brightness 85	Contrast 50	Sharpness 5	Gamma Gamma 3	Color Te	mp. Normal
				Pic	cture Mode	Standard
	L (1			
	1					
	1					
PIP/PBP						
	2					
	ings				📦 Exit	
				I .	💿 Move/Ad	just
GIGABYTE"					Enter/Co	nfirm

ltem	Description
OFF	Disable PIP/PBP function.
PIP	Divide the screen into two parts (main window and in-
	serted window)
	 Signal source: Change the input source of the inserted window.
	 PIP size: Adjust size of the inserted window.
	 Position: Move the inserted window to a different position.
	 Display switch: Switch between the two windows.
	 Audio switch: Select the audio source of the desired sound.
PBP	Display 1x1 split screen (with left and right windows).
	 Signal source: Change the input source of the right win- dow.
	 PBP size: Adjust size of the window.
	 Display switch: Switch between the two windows.
	 Audio switch: Select the audio source of the desired sound.

Note: PIP/PBP is not compatible with HDR and FreeSync functions.

System

Configure the system related settings.

Resolution 3440X1440	Brightness 85	Contrast 50	Sharpness 5	Gamma Gamma 3	Color Te	emp. Normal
				Picto	are Mode	Standard
Gaming	■ A	udio	Volume	1		
Picture	0		Mute			
Display	Q					
PIP/PBP	0					
System						
Language						
Save Setti	ngs				> Exit	
Reset all					Move/Ad	ljust
GIGABYTE"				Ć	Enter/Co	nfirm

ltem	Description			
Audio OSD Settings	onfigure audio settings. Volume: Adjust the volume level. Mute: Enable/Disable the mute function. onfigure the on-screen display (OSD) menu relat d settings.			
	 Display Time: Set the length of time the OSD menu remains on the screen. OSD Transparency: Adjust the OSD menu transparency. OSD Lock: When this function is enabled, no OSD adjustment is allowed. Note: To disable the OSD lock function, press the Control key. When the message appears on the screen, select Yes to confirm. 			
	The button is locked The button is locked confirm to unlock OSD No Yes			

Item	Description			
Quick Switch	Assign the function of the hot keys.			
	Available options: Aim Stabilizer, Black Equalizer, Low Blue Light, Volume, Input, Contrast, Bright- ness, and Picture Mode.			
	The default setting of the hot keys as below:			
	D Up (🏟): Black Equalizer			
	Down (🏟): Picture Mode			
	D Right (🏟): Input			
	D Left (🏟): Volume			
Other Settings	 Resolution Notice: When this function is enabled, the recommended resolution message will appear on the screen when the monitor switches to another input source. Input Auto Switch: When this function is enabled, it automatically switches to an available input source. Auto Power OFF: When this function is enabled, the monitor will automatically turn off after a certain amount of time. DisplayPort Ver.: Set the DisplayPort version to 1.1, 1.2 or 1.4+HDR. 			
	Note:			
	 To enable HDR effect for the DP port, you may need to set the version to DP1.2 and enable the 8-bit color output in the graphics card. Make sure to configure this option based on the DisplayPort version supported by your graphics card. DisplayPort version can't set to 1.1 when FreeSync Premium function is activated. 			

Language

Language-related settings

HDR E OFF	Brightness 85	Contrast 50	Sharpness 5	Gamma Gamma 3	Color Temp. Norma
				Pictu	re Mode Standa
Gaming	Engl	ish		1	
Picture	繁中				
Display	简中				
PIP/PBP	Deut	sch			
System	Fran	içais			
Language	日本				
Save Settings	한국	બ		۲	Exit
Reset all	Pyc	кий			Move/Adjust
GIGABYTE [.]				٢	Enter/Confirm
	Docc	vintion			

ltem	Description
Language	Select an available language for the OSD menu.

Save Settings

Set the personalized OSD configurations for Setting1, Setting2, or Setting3.

Resolution 3440X1440	Brightness 85	Contrast 50	Sharpness 5	Gamma Gamma 3	Color Temp. Normal
				Pictu	re Mode Standard
Gaming	Se		Save	1	
Picture	Se		Load		
Display	Se				
PIP/PBP					
System					
Language	e				
Save Setti	ings			۲	Exit
Reset all					Move/Adjust
GIGABYTE				Ŷ	Enter/Confirm

ltem	Description
Save	Save the customized settings.
Load	Load the saved settings.

Reset All

Restore the monitor to its factory default settings.



APPENDICES

Specifications

ltem	Specifications
Panel Size	34-inch
Aspect Ratio	21:9
Resolution	3440 x 1440
Refresh Rate	144Hz
LED Life	30000 hours (min.)
Pixel Pitch	0.23175(H) x 0.23175(V) (mm)
Brightness	350nits (typ.) / 320nits (min.)
Contrast Ratio	4000:1 (typ.)
Color Depth	16. 7M
Active Display area	797.22(H) x 333.72(V) (mm)
Viewing Angle	178° (H) / 178° (V)
Frequency	48~144Hz (gaming mode)
Input/Output Terminals	• 2 x HDMI 2.0
	• 2 x DP1.4
	 1 x Headphone
Power Supply/Input	AC100~240V@ 50/60Hz 2A(Max.)
Power Consumptions	• On: 80W (Max.)
	• Standby: 0.5W
	• Off: 0.5W
Dimensions (W x H x D)	808.89 x 488.79 x 234.81mm (with stand)
Weight	8.378±0.5 kgs (Net)
Operating conditions:	0°C - 40°C
temperature range	

Note: Specifications subject to change without notice.

Supported Timing List

Timing List	HDMI 1	HDMI 2	DP
640x480@60Hz		\checkmark	
640x480@75Hz		\checkmark	
720x480@60Hz	\checkmark	\checkmark	\checkmark
800x600@60Hz	\checkmark	\checkmark	
800x600@75Hz	\checkmark	\checkmark	\checkmark
1024x768@60Hz	\checkmark	\checkmark	\checkmark
1024x768@75Hz	\checkmark	\checkmark	
1280x720@60Hz	\checkmark	\checkmark	
1280x720@120Hz	\checkmark	\checkmark	
1440x900@60Hz		\checkmark	
1600x900@60Hz		\checkmark	
1680x1050@60Hz		\checkmark	
1720x1440@60Hz(PBP)		\checkmark	
1920x1080@60Hz		\checkmark	
1920x1080@120Hz		\checkmark	
2560x1440@120Hz		\checkmark	
3440x1440@50Hz			
3440x1440@60Hz		\checkmark	
3440x1440@100Hz		\checkmark	
3840x2160@60Hz		\checkmark	
2560x1440@60Hz		\checkmark	
2560x1080@120Hz			\checkmark
2560x1080@144Hz			
2560x1440@144Hz			
3440x1440@144Hz			

Troubleshooting

Problem	Possible Solution(s)
No power	 Make sure the power cable is properly connected to the power source and the monitor. Check the cable and plug to make sure they are not broken. Make sure the monitor is turned on. Make sure the adapter LED is on.
No image appears on the screen	 Make sure the monitor and the computer are properly connected and both devices are turned on. Make sure you have selected the correct input source. Refer to page 22 or 31. Adjust the Brightness and Contrast settings. Refer to page 29.
The image does not fill the entire screen	 Try different Display Mode (aspect ratio) setting. Refer to page 28.
The colors are dis- torted	 Make sure the input signal cable is properly connected. Configure the image related settings. Refer to the "Picture" section.
No sound or vol- ume is low	 Make sure the headphone cable is properly connected. Adjust the volume level. Refer to page 24 or 33. Adjust your computer sound related settings.

Note: If the problem persists, please contact our customer service for further assistance.

Basic Care

When the screen becomes dirty, do the following to clean the screen:

- Wipe the screen with your soft, lint-free cloth to remove any residual dust.
- Spray or apply the cleaning fluid onto a soft cloth. Then wipe the screen gently with the damp cloth.

Note:

- Make sure that the cloth is damp, but not wet.
- When wiping, avoid applying excessive pressure on the screen.
- Acidic or abrasive cleaners can damage the screen.

GIGABYTE Service Information

More service information, please visit GIGABYTE official website: https://www.gigabyte.com/